

Product: SCE823620 LUMINOUS Print Date: September 27, 2024

SECTION 1. PRODUCT AND COMPANY INDENTIFICATION

Product Name: **LUMINOUS** Product Code: SCE823620

Customer Material:

Product Use Description: Fragrance Compund

VAPORO Fragrances & Specialties NJ CORP Company:

200 Clifton Blvd - Suite 2

Clifton, NJ 07011

SECTION 2. HAZARDS IDENTIFICATION

GHS-Classification

Eye irritation, Category 2A Skin sensitisation, Category 1 Reproductive toxicity, Category 2

GHS-Labeling

Symbol(s):



Signal word: WARNING

Hazard statements: H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H361: Suspected of damaging fertility or the unborn child.

Precautionary statements: P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Document Date:September 25, 2024

VAPORO FRAGRANCE & MAKERS SUPPLIES

www.vaporo-usa.com

Page **1** of **7**



Product: SCE823620 LUMINOUS Print Date: September 27, 2024

Chemical nature: Fragrance for consumer product

Fragrance Compound: A multi component mixture of fragrance ingredients. The specific chemical identities of the ingredients not listed herein are considered by VAPORO to be Trade Secrets and are withheld in accordance with the provisions of 1910.1200 of Title29 of the U.S. Code of Federal Regulations.

SECTION 4. FIRST AID MEASURES

First aid procedures

Inhalation: Remove from exposure site to fresh air and keep at rest. If victim is unconscious, remove foreign bodies

from the mouth. If victim has stopped breathing, give artificial respiration. Obtain medical advice.

Skin contact: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms

persist.

Eye contact: Flush immediately with water for at least 15 minutes. Contact

physician if symptoms persist

Rinse mouth with water and obtain medical advice. Ingestion:

Notes to physician

Risks: May cause an allergic skin reaction.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable properties

203.00 °F (95.00 °C) Flash point:

Fire fighting

Suitable extinguishing media: Use water spray, dry chemical, carbon dioxide or appropriate foam.

Protective equipment and precautions for firefighters

Special protective equipment for

fire-fighters:

Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires

involving chemicals. Use water spray to cool containers exposed to fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Document Date: September 25, 2024 **VAPORO FRAGRANCE & MAKERS SUPPLIES** www.vaporo-usa.com

Page 2 of 7



Product: SCE823620 LUMINOUS Print Date: September 27, 2024

Personal precautions: Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case

of a major spill.

Environmental precautions: Keep away from drains, surface- and groundwater and soil.

Methods for containment / Methods for cleaning up:

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the

local regulations.

SECTION 7. HANDLING AND STORAGE

Handling: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing practices for housekeeping and

personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other containers, especially when steam or hot water is used, as this may increase vapor concentrations in the workplace air. Where chemicals are openly handled, access should be restricted to properly trained employees. Keep all heated processes at the lowest necessary

temperature in order to minimize emissions of volatile chemicals into the air.

Advice on protection againt fire and

explosion:

Requirements for storage areas and

containers:

Keep away from ignition sources and naked flame.

Store in a cool, dry, ventilated area away from heat sources. Keep containers upright and tightly closed when not in use.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	Listed by	Value	Exposure limit(s)
Cyclohexene, 1-methyl-4-(1- methylethenyl)-,(4R)-	USA. Workplace Environmental Exposure Levels (WEEL)	8-hr TWA	30 ppm

Engineering measures: Where feasible, isolate mixing rooms and other areas where this material is used or openly handled. Maintain

these areas under negative air pressure relative to the rest of the plant. Where feasible, use closed systems to

transfer and process this material.

Personal protective equipment

Eye protection: Use tight-fitting goggles, face shield or safety glasses with side

shields if eye contact might occur.

Hand protection: Avoid skin contact. Use chemically resistant gloves.

Skin and body protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and

to the specific work-place.

Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing

Document Date: September 25, 2024

VAPORO FRAGRANCE & MAKERS SUPPLIES

www.vaporo-usa.com

Page 3 of 7



Product: SCE823620 LUMINOUS Print Date: September 27, 2024

apparatus.

Respiratory protection:

Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. No respiratory protection is required during normal operations in a workplace where engineering controls such as adequate ventilation, etc. are sufficient.

If engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate filters should be used:

a)while engineering controls and appropriate safe work practices and/or procedures are being implemented; or b)during short term maintenance procedures when engineering controls are not in normal operation or are not sufficient; or

c)if normal operational workplace vapor concentration in the air is increased due to heat;

d)during emergencies; or

e)if engineering controls and operational practices are not sufficient to reduce airborne concentrations below an

established occupational exposure limit.

Hygiene measures: To the extent deemed appropriate, implement pre-placement and regularly scheduled ascertainment of

symptoms and spirometry testing of lung function for workers who are regularly exposed to this material. To the extent deemed appropriate, use an experienced air sampling expert to identify and measure volatile chemicals that could be present in the workplace air to determine potential exposures and to ensure the

continuing effectiveness of engineering controls and operational practices to minimize exposure.

Protective measures: In December 2003, the National Institute for Occupational Safety and Health ("NIOSH") published an Alert on

preventing lung disease in workers who use or make flavorings [NIOSH Publication Number 2004-110]. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled

"Respiratory Safety in the Flavor Manufacturing Workplace".

Both of these reports provide recommendations for reducing employee exposure and for medical surveillance in

the workplace. The recommendations in these reports are generally applicable to the

use of any chemical in the workplace and you are strongly urged to review both of these reports.

The report published by FEMA also contains a list of "high priority" chemicals. If any of these chemicals are present in this product at a concentration >= 1.0% due to an intentional addition by VAPORO, the chemical(s)

will be identified in this safety data sheet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Liquid

Appearance: Clear Liquid

Color: pale yellow to yellow
Odor: Conforms to standard

Safety Data

Flash point: 203.00 °F (95.00 °C) Vapor pressure: .08 hPa (0.08 hPa)

Note: Calculated

Document Date: September 25, 2024

VAPORO FRAGRANCE & MAKERS SUPPLIES

www.vaporo-usa.com

All the information provided herein is true and accurate at the date of issue and is based on our current ofthe composition of our products and of the composition of individual ingredients contained therein, based on internal measurements, data obtained from our vendors, or literature data. Customer shall be solely responsible for determining the appropriateness of VAPORO products for their intended use, and for ensuring that any claims, promotions, marketing and sales decisions that they may make with respect to their products shall be in compliance with all applicable laws and repulations.

Page **4** of **7**

they may make with respect to their process. This regulations.

This communication contains information of VAPORO and/or its affiliates that is confidential, proprietary, copyrighted and/or legally privileged, and is intended only for the addressee. Any copying, dissemination or other use of this information by anyone other than the intended recipient is prohibited except when required by any applicable laws or regulations.



Product: SCE823620 LUMINOUS Print Date: September 27, 2024

Relative density (20 °C): 0.9823 - 0.9923

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid: Remarks: Direct sources of heat.

Chemical stability: Remarks: Presents no significant reactivity hazard, by itself or in contact with water. Avoid contact with strong

acids, alkali or oxidizing agents.

Hazardous decomposition Note: Carbon monoxide and unidentified organic compounds may

products: be formed during combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological information: There is no data available for this product. The health hazards are assessed based on the ingredients in this

preparation and their concentrations.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information

Additional ecological information: Avoid contamination of soil, ground and surface water.

SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging: Place material into sealed containers and dispose of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT Not dangerous goods

IATA

3082 UN number:

Description of the goods: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)

Class: Packing group: Ш ICAO-Labels: 9

IMDG

UN number: 3082

Document Date: September 25, 2024

VAPORO FRAGRANCE & MAKERS SUPPLIES

www.vaporo-usa.com

Page **5** of **7**



Product: SCE823620 LUMINOUS Print Date: September 27, 2024

Description of the goods: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPYRAN)

Class: Packing group: Ш IMDG-Labels: 9 EmSNumber 1 F-A EmSNumber 2 S-F

Marine pollutant Yes (HEXAMETHYLINDANOPYRAN)

Other Information

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards: Serious eye damage or eye irritation

Respiratory or skin sensitisation

Reproductive toxicity

Reportable Quantity:

HMIS Classification

Health Hazard: 2 Chronic Health Hazard: Flammability: Physical and chemical hazards:

SECTION 16. OTHER INFORMATION

Further information

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without any warrant, expressed or implied, regarding its correctness or accuracy. Since the use, handling, storage and disposal of this product are beyond VAPORO control, it is the responsibility of the user both to determine safe conditions for the use of this product and to assume liability of loss, damage, or expense arising out of the product's improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various Federal, State or Provincial agencies may have specific regulations concerning the transportation, handling, storage, use, or disposal of this product which may not be reflected in this MSDS. The user should review these regulations to ensure full compliance

Document Date: September 25, 2024

VAPORO FRAGRANCE & MAKERS SUPPLIES

www.vaporo-usa.com

Page **6** of **7**



FRAGRANCE & MAKERS SUPPLIES

SAFETY DATA SHEET

Product: SCE823620 LUMINOUS Print Date: September 27, 2024